



**Discover® Limited Warranty  
Non-Original Equipment Manufacturer (OEM) Installation**

Discover®, its Agents, Dealers and Distributors warrant, to the original purchaser only, that prior to installation or delivery to the purchaser that the state of charge of Discover® batteries has been maintained at a level equal to or greater than the minimum level considered to be necessary within industry standards for the product to perform effectively upon use or installation;

That if upon initial inspection, installation, charge-discharge-charge and "acceptance test", by the user, the product, (1) fails per Discover® published data to reach its 20 hour performance rating to 1.75 volts per cell at 68°F~77°F (20°C~25°C), or, (2) if upon initial inspection, the product has identifiable flaws in materials or workmanship that would impair the life or product performance, the user will:

- A. Upon written approval, return the product for examination, or
- B. Hold the product on site pending inspection by a Discover® representative
- C. Follow the instructions as may be laid out more specifically in a valid and separate purchase/supply agreement

Upon a satisfactory proof of claim as determined by Discover®, Discover® will repair, or replace at their option and or as may be instructed by a valid purchase/supply agreement, any defective product.

If a **properly maintained** product fails to meet 70% of its rated capacity, as determined by Discover® by approved testing (conductance, resistance or impedance test data cannot be used as a substitute for recognized capacity testing) at 68°F~77°F (20°C~25°C), Discover® will:

- 1. Within the Free Replacement period listed the product will be replaced at no charge (except for applicable taxes and/or environmental levies) Freight On Board (FOB) a Discover® Agent, Dealer or Distributor.
- 2. After the free replacement period, and for the remaining period of warranty that may be applicable, the original purchaser may obtain a replacement battery of similar size upon payment of a prorated charge based upon the then current published cost per month (list price divided by total months of warranty coverage) multiplied by the number of full months in use since the date of the original purchase, FOB a Discover® Agent, Dealer or Distributor.

In the event of 1 or 2 above, repair or replacement will be performed without charge to the purchaser/user for replacement materials and labor. However, costs of replacement installation including but not limited to equipment, travel expenses and material transportation shall be borne by the purchaser/user.

- 3. Cause such actions to be taken as to comply with a valid purchase/supply agreement.

The replacement product will only be warranted for the remaining unused portion of the original warranty of the replaced product. The original product will become the property of Discover®. The owner of the product will be responsible for delivery of the product to Discover's nearest authorized representative as directed by Discover®.

**General Terms and Conditions:**

- 1. The user is responsible for determining that each product is of the proper size, design and capacity to perform at the time of purchase. Product that is undersized for any application will not be warranted.
- 2. Warranty is void if the product is subject to abuse, misuse, unauthorized alteration, or any other physical damage other than ordinary wear or if manufacturing code is destroyed.
- 3. **Warranty is void if vents are tampered with in any way!**
- 4. Warranty is not transferable



### Discover® Limited Warranty - NON-OEM installation

#### General Terms and Conditions continued:

5. Full replacement warranty claims must be made within 10 business days of tested failure or alleged defect.
6. Product use must be discontinued upon discovery of a defect
7. Acceptable charging ripple (peak to peak) shall be less than 4% of Discover's recommended string voltage with duration of less than 6 milliseconds.
8. Chargers used to charge product in cyclic applications must be ambient and product temperature compensated and equipped with Discover® recognized and approved charging algorithms with no ripple.
9. Back up power products are intended to supply back up power for a limited number of cycles. Frequency of discharge shall not exceed Telcordia battery string Certification levels based on requirements for safety and performance #SR-4228. The product must be sized to limit the depth of discharge based upon average volts per cell that are equal to or greater than Discover's discharge ratings for the product.
10. Product determined to be under sized or used in a manner considered to be unsafe will not be warranted. **THERE IS NO SUBSTITUTE OR SHORT CUT FOR PROPER SYSTEM SIZING.** The final decisions on system sizing remain the responsibility of the user.
11. Discover power blocks are warranted to have a "FLOAT" or "CYCLE" life. Warranty is void on Product designed and purchased for float service which is used in cyclic service, or any service where float product is discharged to more than 70% remaining capacity in excess of 6 times annually. Discover, at its sole option, will void any warranty on Float service products found to have been cycled out.
12. Float Product warranties apply to product that is not continually used in temperatures under 50°F (10°C) or above 77°F (25°C). Product must be located where individual cell temperatures do not vary by more than 5°F (2.5°C). Product life is directly affected by temperature. For every 5°F (2.8°C) increase in operating temperature above 77°F (25°C) or decrease below 50°F (10°C), life will be affected by up to 20% and warranty will be proportionately reduced. **Warranty** is not available for product **continually used** and maintained in temperatures below 32°F (0°C) or above 90°F (32°C).
13. Upon installation and at least once per season for float service product, (i.e January, April, July, Oct), purchaser should complete and maintain a Battery maintenance Report recording battery serial number, float voltages, surface temperature, connection resistance/conductance, ambient temperatures, etc. The inability to produce such data at the time of a warranty claim may result in the voiding of any warranty.
14. Unless expressly noted within a Discover® Factory or Discover® Factory Warehouse sales contract, the warranty described in this document shall be in lieu of any other warranty, express or implied, including but not limited to, any implied warranty of merchantability or fitness for a particular purpose. NOTE: Some jurisdictions do not allow limitations on how long an implied warranty lasts, or exclusion or limitation of incidental or consequential damages, so the above limitations may not apply in all cases.
15. **As published, (!)Extended Float service warranty for Data & Telecom/UPS/HR applications is offered when installations are monitored against use at 68°F~77°F (20°C~25°C) and with "Battery Management Systems" and reporting in place. Commercial cyclic service and float installations without management systems or environmental controls are a maximum of 1/3 listed Free replacement - to a maximum of 12 months only - with no extended pro rata warranty period.**



**Discover® Limited Warranty - NON-OEM installation**

Discover® is proud to offer the purchaser amongst the longest free replacement warranty coverage available in the world on SVR product. We are able to do so by insisting that the purchaser buy a product properly designed and sized for the application in addition to ensuring that the application is capable of managing the requirements of the product to achieve its optimum performance. Discover® will be pleased to work with you to ensure your experience with Discover® products meets your requirements and overall expectations, including supplying or recommending power supply products specifically designed and enhanced to charge Discover® SVR batteries and EV Traction DRY CELL Power Blocks in OEM or after market applications.

**Discover® General Series Sealed Valve Regulated (SVR) General, Telecom, UPS & HR Series applications warranty**

Discover® Type	Description	Free *		Total *	
		Float Types Float Service	Cyclic Types Cyclic Service	Free *	Total *
Discover® SVR	2V/4V/8V .3ah – 30ah	12	12	12	12
Discover® SVR	6V .5ah – 179ah	12	12	12	12
Discover® SVR	6V 180ah – 250ah	12	12	12	12
Discover® SVR	12V .5ah – 30ah	12	12	12	12
Discover® SVR	12V >30ah – 250ah	12	12	12	12
Discover® SVR	24V 2ah - 10ah	12	12	12	12
Discover® Tel/UPS/HR	2V up to 199ah	60	60	12	12
Discover® Tel/UPS/HR	2V 200ah – 3000ah	60	60	12	12
Discover® Tel/UPS/HR	6V/12V DT-4ah – 49ah	24	24	12	12
Discover® Tel/UPS/HR	6V/12V DT-> 50ah	36	36	12	12
Discover® Tel/UPS/HR	12V DT-X Series	36	36	12	12
Discover® Tel/UPS/HR	12V DT-XG Series	48	48	12	12
Discover® Tel/UPS/HR	12V DTA-X Series	36	36	12	12
Discover® Tel/UPS/HR	12V DTA-XG Series	48	48	12	12

\* From Sales Invoice Date

**Without exception**, the power block is specifically designed and produced for particular float or cyclic applications and warranted to have a float or cycle life. **WARRANTY IS VOID** on **ANY Float Type** product used in cyclic applications or that upon verification is found to be cycled out or where it is determined that the frequency of discharges has exceeded acceptable levels based on requirements for safety and performance as may be defined by Discover and/or Telcordia #SR-4228 (or other industry recognized body) battery string Certification levels based on requirements for safety and performance. This would include for example Float Service 12V 33ah batteries used in wheel chair applications or Tel/UPS/HR type batteries used in Broadband applications.



Discover® Limited Warranty - NON-OEM installation



EV 700, EV Traction DRY CELL and Advanced AGM Series warranty

Service Applications & Use	Personal replacement		Commercial & Business replacement	
	Free *	Total *	Free *	Total *
<b>LSV, NEV, Scrubber Sweeper, Aerial Lifts &amp; Pallet Jacks *!*</b>				
EV 700G Series 2V/6V/8V/12V	24	48	12	24
EV 700 Series 2V/6V/8V/12V	18	36	9	18
EV Dry Cell 2V/6V/8V/12V	12	24	6	12
D Series AGM 2V/6V/8V/12V	6	12	3	6
<b>DC Refrigeration, Anti idle, Generators, &amp; Compressors</b>				
EV 700G Series 2V/6V/8V/12V	18	24	9	12
EV 700 Series 2V/6V/8V/12V	12	18	6	12
EV Dry Cell 2V/6V/8V/12V	6	12	3	6
D Series AGM 2V/6V/8V/12V	3	6	3	3
<b>Mobility/HME</b>				
EV 700G Series 2V/6V/8V/12V	24	24	12	12
EV 700 Series 2V/6V/8V/12V	18	18	9	12
EV Dry Cell 2V/6V/8V/12V	12	12	4	12
D Series AGM 2V/6V/8V/12V	6	12	1	3
<b>Renewable Energy</b>				
<i>With system sizing approval or sizing for &gt;70% remaining capacity</i>				
EV 700G Series 2V/6V/8V/12V	48	84	24	48
EV 700 Series 2V/6V/8V/12V	36	84	18	48
EV Dry Cell 2V/6V/8V/12V	24	84	12	48
D Series AGM 2V/6V/8V/12V	12	48	12	24
<i>Without system sizing approval or sizing for &lt;50% remaining capacity</i>				
EV 700G Series 2V/6V/8V/12V	24	48	12	24
EV 700 Series 2V/6V/8V/12V	18	48	9	24
EV Dry Cell 2V/6V/8V/12V	12	48	6	24
D Series AGM 2V/6V/8V/12V	6	12	3	12



## Dry Cell Batteries & Power Supplies

Service Applications & Use	Personal replacement		Commercial & Business replacement	
	Free *	Total *	Free *	Total *
<b>Data &amp; Tele Communications, UPS Back Up Power</b>				
EV 700G Series 2V	84	84	84	84
EV 700G Series 6V/8V/12V	60	84	60	84
EV 700 Series 2V	72	72	72	72
EV 700 Series 6V/8V/12V	48	72	48	72
EV Dry Cell 2V	60	60	60	60
EV Dry Cell 6V/8V/12V	36	60	36	60
D Series AGM 6V/8V/12V	36	36	36	36

**CONDITIONS APPLY!** See General Terms and Conditions above.

### RV and Marine

*With system sizing approval or sizing for >70% remaining capacity*

EV 700G Series 2V	60	60	24	36
EV 700G Series 6V/8V/12V	48	60	24	36
EV 700 Series 2V	48	60	18	36
EV 700 Series 6V/8V/12V	36	60	18	36
EV Dry Cell 2V	36	60	12	36
EV Dry Cell 6V/8V/12V	18	60	12	36
DF Fusion Dry Cell 12V	36	60	24	36
D Series AGM 6V/8V/12V	12	36	6	12

*Without system sizing approval or sizing for <50% remaining capacity*

EV 700G Series 2V	36	36	18	18
EV 700G Series 6V/8V/12V	36	36	18	18
EV 700 Series 2V	24	36	12	12
EV 700 Series 6V/8V/12V	24	36	12	12
EV Dry Cell 2V	12	36	6	12
EV Dry Cell 6V/8V/12V	12	36	6	12
DF Fusion Dry Cell 12V	12	36	3	12
Advanced AGM 6V/8V/12V	12	36	3	12

### \* From Sales Invoice Date

**\*\* WARRANTY IS REDUCED** to 90 days free replacement with no extended coverage on **ANY EV** product discharged and or charged in cyclic service while orientated in any manner other than right side up. I.E: **Pallet Jack** applications where the battery is installed on its end.